

¹MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION

Trade name: **UV3 HI-GLOSS WOOD POLISH**
Address: 2590 Jason Court, Oceanside, CA. 92056
Phone: (760) 726-8500/(800) 922-4273
Fax: (760) 806-1640

II. HAZARDOUS INGREDIENTS

Chemical Names	CAS Numbers	Percent	Exposure Limits in Air ACGIH (TLV) OSHA (PEL)
Odorless Mineral spirits	64741-65-7		100 ppm 500 ppm

III PHYSICAL PROPERTIES

Vapor density (air=1): N/A
Evaporation rate, (butyl acetate=1): N/A
Specific gravity at 68° F: 0.989
Appearance and odor: White emulsion, very mild odor.
Solubility in water: Negligible
Vapor pressure, mm Hg at 68° F: N/A
Melting point: 32° F
pH: N/A
Boiling point at 760 mm Hg: 350° F – 410° F

IV. HEALTH HAZARD INFORMATION

SYMPTOMS OF OVEREXPOSURE

Acute: Inhaled – None
Contact with skin – None
Contact with eyes - Pre-existing eye disorder may be aggravated.
Swallowed - May result in vomiting.
Chronic: Pre-existing eye and skin disorders may be aggravated by exposure to this product.

FIRST AID EMERGENCY PROCEDURES:

Eye contact: Wash with room temperature water for at least 15 minutes.
Skin contact: Wash with soap and water.
Inhaled: N/A
Swallowed: Do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquids into the lungs.

UV3 LACQUER POLISH (continued)

RECOMMENDATION TO PHYSICIAN: If more than 2.0 ml/kg has been ingested and vomiting has not occurred, emesis should be induced with supervision. Keep victim's head below hips to prevent aspiration. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage. Using a cuffed endotracheal tube should be considered.

SUSPECTED CANCER AGENT: None. This product's ingredients are not listed in federal OSHA, NTP, IARC or CAL/OSHA lists.

V. FIRE AND EXPLOSION DATA

Flash point: 137° F(TCC)
Autoignition temperature: N/A
Flammable limits in air, vol%: N/A
Fire extinguishing materials: ___water spray ___X carbon dioxide ___X foam
___X dry chemical ___X other

Special firefighting procedures: Do not enter confined fire space without proper protective breathing apparatus. Cool containers with water.

Unusual fire and explosion hazards: N/A

VI. REACTIVITY DATA

Stability: ___X Stable ___Unstable
Conditions to avoid: Avoid heat and open flames.
Incompatibility (materials to avoid): Strong Oxidizing agents.
Hazardous decomposition products (including combustion products): Carbon dioxide, carbon monoxide, and unidentified organics may be formed.
Hazardous polymerization: ___May occur ___X Will not occur

VII. SPILL, LEAK AND DISPOSAL PROCEDURES

Spill response procedures: Take up with an absorbent material and place in leak-proof drums for disposal. With large spills, eliminate potential sources of ignition; wear appropriate respirator and other protective clothing.

Preparing waste for disposal (container types, neutralization, etc.): Dispose of in a facility approved under RCRA regulations for hazardous waste. Containers must be leak-proof and tightly sealed.

NOTE: Dispose of all wastes in accordance with federal, state and local regulations.

UV3 HI-GLOSS WOOD POLISH (continued)

VIII. SPECIAL HANDLING INFORMATION*

Ventilation and engineering controls: N/A

Respiratory protection: Use a NIOSH-approved respirator to prevent over-exposure.

Eye protection: Wear safety goggles.

Gloves: Neoprene

Other clothing and equipment: N/A

Work practices, hygienic practices: N/A

Other handling and storage requirements: Store away from strong oxidizing agents in a cool, dry place with adequate ventilation. Keep away from heat and open flames. Keep containers tightly sealed.

Protective measures during maintenance of contaminated equipment: N/A

The information herein is given in good faith, but no warranty, expressed or implied, is made.

Prepared by: H & M Distributing, Inc.

Date prepared: March 7, 1990

Last revision: January 16, 2004

Last review: February 12, 2007

*

** NFPA Ratings: We believe that the information contained in the MSDS is current. Since the use of this information and the conditions of the use of the product are not within the control of UV3, it is the user's obligation to determine the conditions of safe use of this product. The information contained in this document is given in good faith, but no warranty, expressed or implied, is made.

*

Prepared by: H & M Distributing, Inc.

Date Prepared: Aug. 16, 1990

Last Revision: May 1, 2001

Last Review: March 13, 2003